

Product Details

range name	HERON
finish	SPLIT FACE
colours	CHARCOAL, BRISBANE BLEND, LIMESTONE, SANDSTONE, SYDNEY BLEND
product code description	STANDARD UNIT

Properties and Specifications

actual dimensions (length x width x height mm)	390 X 245 X 198MM
dimensional category	-
average weight (KG)	24
durability class	General Purpose
number per sqm/lm	13
number per pallet	-
number per tonne	42
characteristics breaking load (kN)	>14
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	HERON
finish	SPLIT FACE
colours	CHARCOAL, BRISBANE BLEND, LIMESTONE, SANDSTONE, SYDNEY BLEND
product code description	CORNER UNIT

Properties and Specifications

actual dimensions (length x width x height mm)	360 X 160 X 198MM
dimensional category	-
average weight (KG)	20
durability class	General Purpose
number per sqm/lm	5
number per pallet	-
number per tonne	50
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	HERON
finish	SPLIT FACE
colours	CHARCOAL, BRISBANE BLEND, LIMESTONE, SANDSTONE, SYDNEY BLEND
product code description	CAPPING UNIT

Properties and Specifications

actual dimensions (length x width x height mm)	390 X 245 X 90MM
dimensional category	-
average weight (KG)	16
durability class	General Purpose
number per sqm/lm	2.56
number per pallet	-
number per tonne	63
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	HERON
finish	SPLIT FACE
colours	CHARCOAL, BRISBANE BLEND, LIMESTONE, SANDSTONE, SYDNEY BLEND
product code description	END UNIT

Properties and Specifications

actual dimensions (length x width x height mm)	245 X 160 X 198MM
dimensional category	-
average weight (KG)	16
durability class	General Purpose
number per sqm/lm	2.56
number per pallet	-
number per tonne	63
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification